UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/551,742	07/24/2006	Uwe Holland	85844	4278
	7590 06/08/2009 <b>FABIN &amp; FLANNERY</b>		EXAMINER	
120 SOUTH LASALLE STREET			MARCANTONI, PAUL D	
SUITE 1600 CHICAGO, IL	60603-3406		ART UNIT	PAPER NUMBER
			1793	
			MAIL DATE	DELIVERY MODE
			06/08/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



## **UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ FILING DATE FIRST NAMED INVENTOR / ATTORNEY DOCKET NO. PATENT IN REEXAMINATION

10551742 7/24/06 HOLLAND ET AL. 85844

FITCH EVEN TABIN & FLANNERY 120 SOUTH LASALLE STREET SUITE 1600 CHICAGO, IL 60603-3406 EXAMINER

Paul Marcantoni

ART UNIT PAPER

1793 20090604

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

## **Commissioner for Patents**

The applicants' 3/25/09 response electing Portland cement without traverse as the reactive support material (ie substrate or component a)) is respectfully acknowledged and appreciated. However, the applicants' response to the examiner's restriction/election requirement is incomplete and non-responsive only in that applicants may have inadvertantly omitted also electing the liquid polymer compound b) component (see claim 1). Applicants may elect one species or one specific combination of species from claims 5 and 25. Should they elect a modified or unmodified biopolymer, please also elect one of the species from claim 25 or specific combination of species from claim 25. Please elect the b) component liquid polymer to be fully responsive in the next response.

Any questions may be directed to Paul Marcantoni at 571-272-1373.

/Paul Marcantoni/ Primary Examiner, Art Unit 1793